Weed Research, 1988, Volume 28, 497–500

AUTHOR INDEX

ABRAMOVSKY, P. *See* LOPEZ, C.

BABIKER, A. G. T., IBRAHIM, N. E. and EDWARDS, W. G. Persistence of GR7 and *Striga* germination stimulant(s) from *Euphorbia aegyptiaca* Boiss. in soils and in solutions, 1
BABIKER, A. G. T. *See* TAYALLA, O. E.
BARRALIS, G., CHADOEUF, R., ET LONGCHAMP, J. P. Longevité des semences de mauvaises herbes annuelles dans un sol cultivé, 407
BARRERE, C., BASTIDE, J. and COSTE, C. M. Relations entre la vitesse de dégradation du propyzamide et les propriétés physicochimiques des sols, 93
BASTIDE, J. *See* BARRERE, C.
BHASKAR, A. and VYAS, K. G. Studies on competition between wheat and *Chenopodium album* L., 53
BERNAL, J. A., GASQUEZ, J. and MAILLET, J. Effet des techniques culturales sur la variabilité enzymatique de deux populations de *Convolvulus arvensis* L., issues de vignobles, 243
BESHIR, N. H. H. *See* TAYALLA, O. E.
BOUGH, M. *See* MCCANNY, S. J.
BREEZE, V. G. Growth of tomato plants following exposure to fluroxyr vapour, 297

CABANNE, F. *See* GONNEAU, M.
CARLSON, S. J. and DONALD, W. W. Glyphosate effects on Canada thistle (*Cirsium arvense*) roots, root buds, and shoots, 37
CARSTAIRS, S. A. *See* GILL, G. S.
CARTERON, A. *See* CAUSSANEL, J. P.
CAUSSANEL, J. P., KAFIZ B. et CARTERON, A. Analyse expérimentale des effets de concurrence d'une graminee adventice dans un blé de printemps en relation avec le désherbage, 309
CAVERS, P. B. *See* MCCANNY, S. J.
CAVERS, P. B. *See* SWANTON, C. J.
CHADOUEF, R. *See* BARRALIS, G.
CHOW, P. N. P. Effect of chlorsulfuron on four graminicides for weed control and wheat yield, 145
CONNOLLY, J. Experimental methods in plant competition research in crop-weed systems, 431
COSTE, C. M. *See* BARRERE, C.
COSTE, C. M. *See* SABADIE, J.
COUSENS, R. Misinterpretation of results in weed research through inappropriate use of statistics, 281

DARWENT, A. L. *See* PESCHKEN, D. P.
DE FELIPE, M. R., GOLVANO, M. P., LUCAS, M. M., LANG, P. and POZUELO, J. M. Differential effects of isoproturon on the photosynthetic apparatus and yield of two varieties of wheat and *L. rigidum*, 85
DEBAEKE, P. Dynamique de quelques dicotylédones adventices en culture de céréale. I. Relation flore levée—stock semencier, 251
DEBAEKE, P. Dynamique de quelques dicotylédones adventices en culture de céréale. II. Survie, floraison et fructification, 265
DERKX, M. P. M. *See* KARSSEN, C. M.
DONALD, W. W. *See* CARLSON, S. J.
DUBEY, S. K. *See* PANDEY, H. N.

EDWARDS, W. G. *See* BABIKER, A. G. T.
ERVIÖ, L.-R. *See* SALONEN, J.

FERNANDEZ-QUINTANILLA, C. Studying the population dynamics of weeds, 443
FIELD, R. J. *See* MARTIN, M. P. L. D.
FOY, C. L., JACOBSOHN R., AND JAIN, R. Screening of *Lycopersicon* spp. for glyphosate and/or *Orobanche aegyptiaca* Pers. resistance, 383

FRANCE, J. Mathematical modelling in agricultural science, 419
GASQUEZ, J. *See* BERNAL, J. A.
GEROWITT, B. Development of a computer-supported decision model for weed control in cereals according to ecomonic thresholds (Summary), 487
GILL, G. S. AND CARSTAIRS, S. A. Morphological, cytological and ecological discrimination of *Bromus rigidus* from *Bromus diandrus*, 399
GOLVANO, M. P. *See* DE FELIPE, M. R.
GONNEAU, M., PASQUETTE, B., CABANNE, F. and SCALLA, R. Metabolism of chlortoluron in tolerant speices: possible role of cytochrome P-450 mono-oxygenases, 19
GONZÁLEZ PONCE, R. Competition between *Avena sterilis* ssp. *macrocarpa* Mo. and cultivars of wheat, 303
VAN GROENENDAEL, J. M. Patchy distribution of weeds and implications for modelling population dynamics: a short literature review, 437
GURFEL, D. *See* KISHINEVSKY, B.

HAKANSSON, S. On growth and competition in crop-weed stands (Summary), 485
HASSAN, A. H. A. *See* ISMAIL, A. M. A.
HALL, J. C. and SWANTON, C. J. Selectivity of 2,4-D in *Solanum ptycanthum* Dun. and *Lycopersicon esculentum* Mill., 117
HERNÁNDEZ BERMEJO, J. E. *See* PUJADAS SALVÁ, A.
HINTIKKA, V. Induction of secondary dormancy in seeds of *Barbarea stricta* and *B. vulgaris* by chlormequat and daminozide, and its termination by gibberellic acid, 7
HSIAO, A. I. and HUANG, W. Z. Induction of germination of skotodormant seeds of Johnson grass, *Sorghum halepense* (L.) Pers., 163
HUANG, W. Z. *See* HSIAO, A. I.
HUNT, R. Analysis of growth and resource allocation, 459

IBRAHIM, N. E. *See* BABIKER, A. G. T.
ISLAM, A. K. M. R. and POWLES, S. B. Inheritance of resistance to paraquat in barley grass *Hordeum glaucum* Steud., 393
ISMAIL, A. M. A. AND HASSAN, A. H. A. Effects of herbicide and timing of removal on interference between barley and weeds, 323

JACOBSOHN, R. *See* FOY, C. L.
JACOBSOHN, R., KELMAN, Y., SHAKED, R. and KLEIN, L. Broomrape (*Orobanche* spp.) control with ethylene dibromide and chloropicrin, 151
JACOBSOHN, R. and MARCUS, R. Quantitative determination of broomrape (*Orobanche* spp.) seeds in vetch seeds, 159
JAIN, R. *See* FOY, C. L.
JENSEN, P. K. and KUDSK, P. Prediction of herbicide activity, 473
JOHNASSON, T. Preventing stump regrowth with a herbicide-applying tree cutter, 353

KAFIZ, B. *See* CAUSSANEL, J. P.
KARSSEN C. M., DERKX, M. P. M. and POST, B. J. Study of seasonal variation in dormancy of *Spergula arvensis* L. seeds in a condensed annual temperature cycle, 449
KELMAN, Y. *See* JACOBSOHN, R.
KISHINEVSKY, B., LOBEL, R., LIFSHITZ, N. and GURFEL, D. Effects of some commercial herbicides on *rhizobia* and their symbiosis with peanuts, 291
KLEIN, L. *See* JACOBSOHN, R.
KOCH, W. *See* SAUERBORN, J.
KROPFF, M. J. Modelling the effects of weeds on crop production, 465
KUDSK, P. *See* JENSEN, P.K.

LANG, P. *See* DE FELIPE, M. R.
LAWSON, H. M. The use of weed seedbank in the selection of herbicide recommendations (Summary), 486
LIFSHITZ, N. *See* KISHINEVSKY, B.
LOBEL, R. *See* KISHINEVSKY, B.
LONGCHAMP, J. P. *See* BARRALIS, G.
LOPEZ, C., ABRAMOVSKY, P., VERDIER, J. L. and MAMAROT, J. Estimation du stock semencier dans le cadre d'un essai étudiant l' influence de systèmes culturaux sur l'évolution de la flore adventice, 215
LOVEGROVE, A. W. *See* LUTMAN, P. J. W.
LUCAS, M. M. *See* DE FELIPE, M. R.
LUTMAN, P. J. W., THORNTON, M. E., and LOVEGROVE, A. W. Control of *Galium aparine* (cleavers) in winter cereals with mecoprop alone or with ioxynil plus bromoxynil, 331

MAILLET, J. *See* BERNAL, J. A.
MAMAROT, J. *See* LOPEZ, C.
MANSI, M. G. *See* TAYALLA, O. E.
MARCUS, R. *See* JACOBSOHN, R.
MARSHALL, E. J. P. Field-scale estimates of grass weed populations in arable land, 191
MARSHALL, G. *See* WARKENTIN, T. D.
MARTIN, M. P. L. D. and FIELD, R. J. Influence of time of emergence of wild oat on competition with wheat, 111
MCCANNY, S. J., BOUGH, M. and CAVERS, P. B. Spread of proso millet (*Panicum miliaceum* L.) in Ontario, Canada. I. Rate of spread and crop susceptibility, 59
MCCANNY, S. J. and CAVERS, P. B. Spread of proso millet (*Panicum miliaceum* L.) in Ontario, Canada. II. Dispersal by combines, 67
MCKENZIE, R. I. H. *See* WARKENTIN, T. D.
MORRISON, I. N. *See* WARKENTIN, T. D.
MURDOCH, A. J. Economic aspects of weed management (Summary), 488

NWONWU, F. O. C. and OBIAGA, P. C. Economic criteria in the choice of weed-control methods for young pine (*Pinus caribaea* var. *hundurensis* Barr and Golf) plantations, 181

OBIAGA, P. C. *See* NWONWU, F. O. C.

PANDEY, H. N. and DUBEY, S. K. Achene germination of *Parthenium hysterophorus* L.: effects of light, temperature, provenance and achene size, 185
PASQUETTE, B. *See* GONNEAU, M.
PESCHKEN, D. P. and DARWENT, A. L. Effect of narrow-leaved hawk's-beard (*Crepis tectorum* L.) on yield and quality of lucerne hay and seed yield of creeping red fescue, 207
POST, B. J. Multivariate analysis in weed science, 425
POST, B. J. *See* KARSSEN, C. M.
POWLES, S. B. *See* ISLAM, A. K. M.
POZUELO, J. M. *See* DE FELIPE, M. R.
PUJADAS SALVÁ, A. and HERNÁNDEZ BERMEJO, J. E. Floristic composition and agricultural importance of weeds in southern Spain, 175

RAMAKRISHNAN, P. S. *See* SWAMY, P. S.
REGEHR, D. L. *See* TANJI, A.
DE ROUW, A. and VAN OERS, C. Seeds in a rainforest soil and their relation to shifting cultivation in the Ivory Coat, 373

SABADIE, J. and COSTE, C. M. Dégradation catalytique de carbamates herbicides déposés sur bentonites homoioniques. VI. Cas du N-phenylcarbamate de propyne-2 yle, 13

SALONEN, J. and ERVIÖ, L.-R. Efficacy of chemical weed control in spring cereals in Finland, 231
SATTIN, M. See ZANIN, G.
SAUERBORN, J. and KOCH, W. Untersuchungen zur Keimungsbiologie von sechs tropischen Segetalarten, 47
SCALLA, R. *See* GONNEAU, M.
SHAKED, R. *See* JACOBSOHN, R.
SOUFI, Z. Les principales mauvaises herbes des vergers dans la région maritime de Syrie, 199
STANDIFER, L. C. and WILSON, P. W. Dormancy studies in three populations of *Poa annua* L. seeds, 359
STANDIFER, L. C. and WILSON, P. W. A high temperature requirement for after ripening of imbided dormant *Poa annua* L. Seeds, 365
STREIBIG, J. C. Herbicide bioassay, 479
SWAMY, P. S. and RAMAKRISHNAN, P. S. Ecological implications of traditional weeding and other imposed weeding regimes under slash-and-burn agriculture (jhum) in northeastern India, 127
SWANTON, C. J. and CAVERS, P. B. Regenerative capacity of rhizomes and tubers from two populations of *Helianthus tuberosus* L. (Jerusalem artichoke), 339
SWANTON, C. J. *See* HALL, J. C.

TANJI, A. and REGEHR, D. L. Weeding and nitrogen effects of farmers' wheat crops in semi-arid Morocco, 101
TAYALLA, O. E., BABIKER, A. G. T., MANSI, M. G. and BESHIR, N. H. H. Influence of glumes, soil and environmental conditions on germination of *Ischaemum afrum* (J. F. Gmal.) Dandy seeds, 237
THORNTON, M. E. *See* LUTMAN, P. J. W.

VAUGHN, K. C. *See* VAUGHAN, M. A.
VAUGHAN, M. A. and VAUGHN, K. C. Carrot microtubules are dinitroaniline resistant. I. Cytological and cross-resistance studies, 73
VAN LEEUWEN, P. H. *See* VAN OORSCHOT, J. L. P.
VAN OERS, C. *See* DE ROUW, A.
VAN OORSCHOT, J. L. P. and VAN LEEUWEN, P. H. Inhibition of photosynthesis in intact plants of biotypes resistant or susceptible to atrazine and cross-resistance to other herbicides, 223
VERDIER, J. L. *See* LOPEZ, C.
VYAS, K. G. *See* BHASKAR, A.

WARKENTIN, T. D., MARSHALL, G., MCKENZIE, R. I. H. and MORRISON, I. N. Diclofop-methyl tolerance in cultivated oats (*Avena sativa* L.), 27
WILSON, P. W. *See* STANDIFER, L. C.

ZANIN, G. and SATTIN, M. Threshold level and seed production of velvetleaf (*Abutilon theophrasti* Medicus) in maize, 347

WEED RESEARCH

Journal of the European Weed Research Society

EDITORIAL BOARD

Chairman

R. J. HANCE

Editors

G. BOOCOCK (GB)
G. G. BRIGGS (GB)
A. D. COURTNEY (GB)
R. D. COUSENS (GB)
D. S. H. DRENNAN (GB)
E. EBERT (CH)
TH. EGGERS (D)
A. GAST (CH)
T. A. HILL (GB)
K. HURLE (D)
G. W. IVENS (GB)
J. MY (F)
B. J. POST (NL)
H. A. ROBERTS (GB)
R. SCALLA (F)
J. C. STREIBIG (DK)
P. J. TERRY (GB)
J. L. P. VAN OORSCHOT (NL)

Technical Editor

R. J. HANCE

European Weed Research Society
General Secretary
Dr Th. EGGERS
Weed Research Institute
Federal Biological Research Centre
for Agriculture and Forestry
Messeweg 11/12, D-3300 Braunschweig
Federal Republic of Germany

VOLUME 28

Pages 1–500

BLACKWELL SCIENTIFIC PUBLICATIONS
OXFORD LONDON EDINBURGH BOSTON
PALO ALTO MELBOURNE

1988

WEED RESEARCH

Vol. 28 No. 1 **February 1988**

A. G. T. Babiker, Nadia E. Ibrahim and W. G. Edwards. Persistence of GR7 and *Striga* germination stimulant(s) from *Euphorbia aegyptiaca* Boiss. in soils and in solutions 1
V. Hintikka. Induction of secondary dormancy in seeds of *Barbarea stricta* and *B. vulgaris* by chlormequat and daminozide, and its termination by gibberellic acid 7
J. Sabadie et C. M. Coste. Dégradation catalytique de carbamates herbicides déposés sur bentonites homoioniques. VI. Cas du N-phenylcarbamate de propyne-2 yle 13
M. Gonneau, B. Pasquette, F. Cabanne and R. Scalla. Metabolism of chlortoluron in tolerant species: possible role of cytochrome P-450 mono-oxygenases 19
T. D. Warkentin, G. Marshall, R. I. H. McKenzie and I. N. Morrison. Diclofop-methyl tolerance in cultivated oats (*Avena sativa* L.) 27
S. J. Carlson and W. W. Donald. Glyphosate effects on Canada thistle (*Cirsium arvense*) roots, root buds, and shoots 37
J. Sauerborn und W. Koch. Untersuchungen zur Keimungsbiologie von sechs tropischen Segetalarten 47
A. Bhaskar and K. G. Vyas. Studies on competition between wheat and *Chenopodium album* L. 53

Vol. 28 No. 2 **April 1988**

S. J. McCanny, Marguerite Bough and P. B. Cavers. Spread of proso millet (*Panicum miliaceum* L.) in Ontario, Canada. I. Rate of spread and crop susceptibility 59
S. J. McCanny and P. B. Cavers. Spread of proso millet (*Panicum miliaceum* L.) in Ontario, Canada. II. Dispersal by combines 67
M. A. Vaughan and K. C. Vaughn. Carrot microtubules are dinitroaniline resistant. I. Cytological and cross-resistance studies 73
M. R. De Felipe, M. P. Golvano, M. M. Lucas, P. Lang and J. M. Pozuelo. Differential effects of isoproturon on the photosynthetic apparatus and yield of two varieties of wheat and *L. rigidum* 85
C. Barrere, J. Bastide et C. M. Coste. Relations entre la vitesse de dégradation du propyzamide et les propriétés physicochimiques des sols 93
A. Tanji and D. L. Regehr. Weeding and nitrogen effects on farmers' wheat crops in semi-arid Morocco 101
M. P. L. D. Martin and R. J. Field. Influence of time of emergence of wild oat on competition with wheat 111
J. C. Hall and C. J. Swanton. Selectivity of 2,4-D in *Solanum ptycanthum* Dun. and *Lycopersicon esculentum* Mill. 117
P. S. Swamy and P. S. Ramakrishnan. Ecological implications of traditional weeding and other imposed weeding regimes under slash-and-burn agriculture (jhum) in northeastern India 127

Vol. 28 No. 3 **June 1988**

Editorial 137
Guidance for the use and presentation of statistics in *Weed Research* 139

P. N. P. Chow. Effect of chlorsulfuron on four graminicides for weed control and wheat yield 145
R. Jacobsohn, Y. Kelman, Rachel Shaked and L. Klein. Broomrape (*Orobanche* spp.) control with ethylene dibromide and chloropicrin 151
R. Jacobsohn and Ruth Marcus. Quantitative determination of broomrape (*Orobanche* spp.) seeds in vetch seeds 159
A. I. Hsiao and W. Z. Huang. Induction of germination of skotodormant seeds of Johnson grass, *Sorghum halepense* (L.) Pers. 163
A. Pujadas Salvá and J. E. Hernández Bermejo. Floristic composition and agricultural importance of weeds in southern Spain 175
F. O. C. Nwonwu and P. C. Obiaga. Economic criteria in the choice of weed-control methods for young pine (*Pinus caribaea* var. *hundurensis* Barr and Golf) plantations 181
H. N. Pandey and S. K. Dubey. Achene germination of *Parthenium hysterophorus* L.: effects of light, temperature, provenance and achene size 185
E. J. P. Marshall. Field-scale estimates of grass weed populations in arable land 191

Vol. 28 No. 4 **August 1988**

Z. Soufi. Les principales mauvaises herbes des vergers dans la région maritime de Syrie 199
D. P. Peschken and A. L. Darwent. Effect of narrow-leaved hawk's-beard (*Crepis tectorum* L.) on yield and quality of lucerne hay and seed yield of creeping red fescue 207
C. Lopez, P. Abramovsky, J. L. Verdier et J. Mamarot. Estimation du stock semencier dans le cadre d'un essai étudiant l'influence de systèmes culturaux sur l'évolution de la flore adventice 215
J. L. P. van Oorschot and P. H. van Leeuwen. Inhibition of photosynthesis in intact plants of biotypes resistant or susceptible to atrazine and cross-resistance to other herbicides 223
J. Salonen and L.-R. Erviö. Efficacy of chemical weed control in spring cereals in Finland 231
O. E. Tayalla, A. G. T. Babiker, M. G. Mansi and N. H. H. Beshir. Influence of glumes, soil and environmental conditions on germination of *Ischaemum afrum* (J. F. Gmel.) Dandy seeds 237
J. A. Bernal, J. Gasquez et J. Maillet. Effet des techniques culturales sur la variabilité enzymatique de deux populations de *Convolvulus arvensis* L., issues de vignobles 243
P. Debaeke. Dynamique de quelques dicotylédones adventices en culture de céréale. I. Relation flore levée—stock semencier 251
P. Debaeke. Dynamique de quelques dicotylédones adventices en culture de céréale. II. Survie, floraison et fructification 265
R. Cousens. Misinterpretations of results in weed research through inappropriate use of statistics 281
B. Kishinevsky, Rina Lobel, N. Lifshitz and Debora Gurfel. Effects of some commercial herbicides on *Rhizobia* and their symbiosis with peanuts 291
V. G. Breeze. Growth of tomato plants following exposure to fluroxypyr vapour 297

Vol. 28 No. 5 **October 1988**

R. González Ponce. Competition between *Avena sterilis* ssp. *macrocarpa* Mo. and cultivars of wheat 303
J. P. Caussanel, B. Kafiz et A. Carteron. Analyse expérimentale des effets de concurrence d'une graminée adventice dans un blé de printemps en relation avec le desherbage 309
A. M. A. Ismail and A. H. A. Hassan. Effects of herbicide and timing of removal on interference between barley and weeds 323
P. J. W. Lutman, M. E. Thornton and A. W. Lovegrove. Control of *Galium aparine* (cleavers) in winter cereals with mecoprop alone or with ioxynil plus bromoxynil 331

C. J. Swanton and P. B. Cavers. Regenerative capacity of rhizomes and tubers from two populations of *Helianthus tuberosus* L. (Jerusalem artichoke) 339
G. Zanin and M. Sattin. Threshold level and seed production of velvetleaf (*Abutilon theophrasti* Medicus) in maize 347
T. Johansson. Preventing stump regrowth with a herbicide-applying tree cutter 353
L. C. Standifer and P. W. Wilson. Dormancy studies in three populations of *Poa annua* L. seeds 359
L. C. Standifer and P. W. Wilson. A high temperature requirement for after ripening of imbided dormant *Poa annua* L. seeds 365
Anneke de Rouw and Catharina van Oers. Seeds in a rainforest soil and their relation to shifting cultivation in the Ivory Coast 373
C. L. Foy, R. Jacobsohn and R. Jain. Screening of *Lycopersicon* spp. for glyphosate and/or *Orobanche aegyptiaca* Pers. resistance 383
A. K. M. R. Islam and S. B. Powles. Inheritance of resistance to paraquat in barley grass *Hordeum glaucum* Steud. 393
G. S. Gill and S. A. Carstairs. Morphological, cytological and ecological discrimination of *Bromus rigidus* from *Bromus diandrus* 399

Vol. 28. No. 6 **December 1988**

G. Barralis, R. Chadoeuf et J. P. Longchamp. Longevité des semences de mauvaises herbes annuelles dans un sol cultivé 407
Papers presented at the EWRS workshop, *Methodology and Models in Weed Science* held in Wageningen 19–20 October 1987:
J. France. Mathematical modelling in agricultural science 419
B. J. Post. Multivariate analysis in weed science 425
J. Connolly. Experimental methods in plant competition research in crop-weed systems 431
J. M. van Groenendael. Patchy distribution of weeds and implications for modelling population dynamics: a short literature review 437
C. Fernandez-Quintanilla. Studying the population dynamics of weeds 443
C. M. Karssen, M. P. M. Derkx and B. J. Post. Study of seasonal variation in dormancy of *Spergula arvensis* L. seeds in a condensed annual temperature cycle 449
R. Hunt. Analysis of growth and resource allocation 459
M. J. Kropff. Modelling the effects of weeds on crop production 465
P. K. Jensen and P. Kudsk. Prediction of herbicide activity 473
J. C. Streibig. Herbicide bioassay 479

Abstracts of other papers presented:
S. Hakansson. On growth and competition in crop-weed stands 485
H. M. Lawson. The use of weed seedbank in the selection of herbicide recommendations 486
B. Gerowitt. Development of a computer-supported decision model for weed control in cereals according to economic thresholds 487
A. J. Murdoch. Economic aspects of weed management 488

Glossary of Common Names and Abbreviations of Herbicides 491
Author Index to Volume 28 497